ELSEVIER

Volume B29, Numbers 1–3, October 1995

SENSORS AND ACTUATORS B CHEMICAL

Contents

Preface xi

Plenary Papers

Multicomponent organized bioactive layers for fiber-optic luminescent sensors 1
L.J. Blum, S.M. Gautier, A. Berger, P.E. Michel, P.R. Coulet (Villeurbanne, France)

Absorption-based sensors 10
L.W. Burgess (Seattle, WA, USA)

Fluorescence lifetime-based sensing and imaging 16
H. Szmacinski, J.R. Lakowicz (Baltimore, MA, USA)

Use of three longer-wavelength fluorophores with the fiber-optic biosensor 25
L.C. Shriver-Lake, J.P. Golden (Washington, DC, USA), G. Patonay, N. Narayanan (Atlanta, GA, USA), F.S. Ligler (Washington, DC, USA)

The commercial development of planar optical biosensors 31
G. Robinson (Surrey, UK)

Integrated optical chemical and direct biochemical sensors 37
W. Lukosz (Zurich, Switzerland)

Sol–gel coatings for optical chemical sensors and biosensors 51
B.C. MacCraith, C.M. McDonagh, G. O'Keeffe, A.K. McEvoy, T. Butler, F.R. Sheridan (Dublin, Ireland)

Infrared fiber-optical chemical sensors with reactive surface coatings 58
B. Mizaikoff, R. Göbel, R. Krska, K. Taga, R. Kellner (Vienna, Austria), M. Tacke (Freiburg, Germany), A. Katzir (Tel-Aviv, Israel)

Invited and Regular Papers

1. Bio- and Immunosensors

Application of a plastic evanescent-wave sensor to immunological measurements of CKMB 67
R.E. Slovacek (Medfield, MA, USA), W.F. Love (Corning, NY, USA), S.C. Furlong (Minneapolis, MN, USA)

Binding kinetics of immobilized antibodies in a flow immunosensor 72
S.Y. Rabbany (Hempstead, NY, USA), A.W. Kusterbeck (Washington, DC, USA), R. Bredehorst (Hamburg, Germany), F.S. Ligler (Washington, DC, USA)

Use of an optical biosensor to measure prostate-specific antigen in whole blood 79
P.M. O'Neill, J.E. Fletcher, C.G. Stafford, P.B. Daniels, T. Bacarese-Hamilton (Surrey, UK)

2. Environmental Sensors

Progress with optical gas sensors using correlation spectroscopy 87
J.P. Dakin, H.O. Edwards, B.H. Weigl (Southampton, UK)

A new chemiluminescence-based sensor for discriminating and determining constituents in mixed gases 94
M. Nakagawa (Okayama, Japan)

H_2S and CO_2 gas sensing using DFB laser diodes emitting at 1.57 μm 101
V. Weldon, J. O'Gorman, P. Phelan, J. Hegarty (Dublin, Ireland), T. Tanbun-Ek (Murray Hill, NJ, USA)

Effects of nitrogen dioxide on surface plasmon resonance of substituted phthalocyanine films 108
J.D. Wright, A. Cado, S.J. Peacock, V. Rivalle, A.M. Smith (Kent, UK)

Quasi-monodisperse particulate characterization with optical fibers and a three-wavelength scattering technique 115
M. Brenci, D. Guzzi, A. Mencaglia, A.G. Mignani, M. Pieraccini (Florence, Italy)

Elsevier Science S.A.

3. Enzyme-based Sensors

Enzyme-based optical-fibre biosensors 121
M. Mascini (Florence, Italy)

Enhanced performance of a fibre-optic luminescence CO_2 sensor using carbonic anhydrase 126
M.D. Marazuela, M.C. Moreno Bondi, G. Orellana (Madrid, Spain)

4. Ion Sensors

Optode for 2-phenethylamine using calixarene as host molecule 135
Y. Kawabata, T. Yamashiro, Y. Kitazaki, T. Imasaka (Fukuoka, Japan)

Fluorescence-based ion sensing using potential-sensitive dyes 140
O.S. Wolfbeis (Graz, Austria)

Molecular *cis/trans* isomerization of an azobenzene containing 13-azo-phane-3 in monolayer 148
H. Huesmann, J. Maack, D. Möbius (Göttingen, Germany), J.F. Biernat (Gdansk, Poland)

5. Clinical and Biomedical Applications

A fiber-optic broad-range pH sensor system for gastric measurements. 157
E.J. Netto (Curitiba, Brazil), J.I. Peterson, M. McShane, V. Hampshire (Bethesda, MD, USA)

In vivo optical-fibre pH sensor for gastro–oesophageal measurements. 164
F. Baldini, P. Bechi, S. Bracci, F. Cosi, F. Pucciani (Florence, Italy)

Optical sensors for in vitro blood gas analysis 169
M.J.P. Leiner (Graz, Austria)

Non-invasive in vivo measurement of blood spectrum by time-resolved near-infrared spectroscopy 174
W. Nahm, H. Gehring (Lübeck, Germany)

6. Spectroscopic Techniques

SERS chemical sensors and biosensors: new tools for environmental and biological analysis. 183
T. Vo-Dinh (Oak Ridge, TN, USA)

Fibre optics applications to works of art. 190
M. Bacci (Florence, Italy)

7. pH Sensing

pH sensors using fluorescence decay time 199
S. Draxler, M.E. Lippitsch (Graz, Austria)

The metal island coated swelling polymer over mirror system (MICSPOMS): a new principle for measuring ionic strength 204
F.R. Aussenegg, H. Brunner, A. Leitner (Graz, Austria), Ch. Lobmaier, Th. Schalkhammer, F. Pittner (Vienna, Austria)

8. Oxygen Sensors

New oxygen sensors and their application to biosensing. 213
D.B. Papkovsky (Moscow, Russia)

Recent progress in optical oxygen sensor instrumentation 219
W. Trettnak, W. Gruber, F. Reininger (Graz, Austria), I. Klimant (Bremen, Germany)

Development of a LED-based phase fluorimetric oxygen sensor using evanescent wave excitation of a sol–gel immobilized dye. 226
G. O'Keeffe, B.D. MacCraith, A.K. McEvoy, C.M. McDonagh, J.F. McGilp (Dublin, Ireland)

FLOX—an oxygen-flux-measuring system using a phase-modulation method to evaluate the oxygen-dependent fluorescence lifetime 231
G.A. Holst, T. Köster, E. Voges, D.W. Lübbers (Dortmund, Germany)

Novel oxygen sensor material based on a ruthenium bipyridyl complex encapsulated in zeolite Y: dramatic differences in the efficiency of luminescence quenching by oxygen on going from surface-adsorbed to zeolite-encapsulated fluorophores . . 240
B. Meir, T. Werner, I. Klimant, O.S. Wolfbeis (Graz, Austria)

Selection of silicone polymer matrix for optical gas sensing 246
H. He, R.J. Fraatz (Roswell, GA, USA), M.J.P. Leiner, M.M. Rehn (Graz, Austria), J.K. Tusa (Roswell, GA, USA)

Response characteristics of luminescent oxygen sensors 251
P. Hartmann, M.J.P. Leiner, M.E. Lippitsch (Graz, Austria)

9. Surface Plasmon Resonance (SPR) Chemical Sensors

Waveguide surface plasmon resonance sensors 261
R.D. Harris, J.S. Wilkinson (Southampton, UK)

A reactive macromolecular matrix for protein immobilization on a gold surface. Application in surface plasmon resonance 268
M.C. Millot (Creteil, France), F. Martin (Orsay, France), D. Bousquet, B. Sébille (Créteil, France), Y. Lévy (Orsay, France)

10. Immobilization Techniques

Integrated optical sensors based on refractometry of ion-selective membranes 277
D. Freiner, R.E. Kunz, D. Citterio, U.E. Spichiger, M.T. Gale (Zurich, Switzerland)

POSTER PAPERS

Sensitivity optimization of a grating coupled evanescent wave immunosensor 289
O. Parriaux, P. Sixt (Neuchâtel, Switzerland)

Use of diode lasers in an evanescent wave immunosensor for stationary and time-resolved detection of antigens 293
D. Bock, K. Galla, M. Martin, J. Wolfrum, S. Seeger (Heidelberg, Germany)

Response of a thermo-optical photometer for biosensor applications 300
M. Martini, R. Stella, A. Mennucci, C. Domenici (Pisa, Italy)

A model system for the development of an optical biosensor based on lipid membranes and membrane-bound receptors 307
B. Klee, G.L. Duveneck, P. Oroszlan, M. Ehrat, H.M. Widmer (Basel, Switzerland)

Optical detection of complexation of labeled saccharides to macrocyclic synthetic receptors 312
H.J. van de Bovenkamp, M.M.G. Antonisse, J.F.J. Engbersen, D.N. Reinhoudt, G.L.J. Hesselink, P.V. Lambeck Th.J.A. Popma (Enschede, Netherlands)

Quantitative evaluation of skin surface lipids by a fiber-optic refractometer 318
T. Takeo, H. Hattori (Nagoya, Japan)

Fixation of DNA directly on optical waveguide surfaces for molecular probe biosensor development. 324
M.A. Karymov, A.A. Kruchinin, Yu.A. Tarantov, I.A. Balova, L.A. Remisova, Yu.G. Vlasov (St. Petersburg, Russia)

The use of Fourier transform combined with the differential optical absorption technique to measure atmospheric pollution 328
L. Axelsson (Linköping, Sweden)

Intelligent sensor for integral estimation of water quality 332
V.A. Yatsenko, A.O. Goushcha, A.A. Dobrovolsky, A.V. Privalko, V.I. Sushko (Kiev, Ukraine)

Application of pulsed laser photoacoustic sensors in monitoring oil contamination in water 339
P. Hodgson, K.M. Quan, H.A. MacKenzie, S.S. Freeborn, J. Hannigan, E.M. Johnston, F. Greig, T.D. Binnie (Edinburgh, UK)

pH determination of clay interstitial water using a fiber-optic sensor 345
S. Motellier, M.H. Noiré, H. Pitsch, B. Duréault (Fontenay-aux-Roses, France)

Formation and characterisation of a self-assembled phthalocyanine monolayer suitable for gas sensing 353
T.R.E. Simpson, D.A. Russell, I. Chambrier, M.J. Cook, A.B. Horn (Norwich, UK), S.C. Thorpe (Sheffield, UK)

A kineto-optical method for the determination of chlorine gas 358
M.G. Baron, R. Narayanaswamy (Manchester, UK), S.C. Thorpe (Sheffield, UK)

New signal processing for absorption-based gas sensing 363
J.P. Silveira, F. Grasdepot (Montrouge, France)

The modelling and control of the pH response of an immobilised indicator 368
M.E.J. Baker, R. Narayanaswamy (Manchester, UK)

Application of optical fibres in oxidation–reduction titrations 374
A. Dybko, J. Maciejewski, Z. Brzozka, W. Wroblewski, R.S. Romaniuk (Warsaw, Poland)

Ion sensing film optodes: disposable ion sensing probes for the determination of Na^+, K^+, Ca^{2+} and Cl^- concentrations in serum 378
H. Hisamoto, N. Miyashita, K. Watanabe, E. Nakagawa, N. Yamamoto, K. Suzuki (Yokohama, Japan)

A ferrous ion optical sensor based on fluoroescence quenching. 386
M.H. Noiré, B. Duréault (Fontenay-aux-Roses, France)

Fiber-optic pH meter using NIR dye. 392
H. Lehmann, G. Schwotzer, P. Czerney (Jena, Germany), G.J. Mohr (Graz, Austria)

Optical fiber sensor based on surface plasmon excitation 401
J. Homola (Prague, Czech Republic)

A new fabrication method for waveguides with controlled surface-interaction length 406
F. Rehouma, D. Persegol, A. Kevorkian (Grenoble, France)

Phase-sensitive polarimetric sensing in the evanescent field of single-mode fibres 410
H. Lehmann (Jena, Germany), M.E. Lippitsch (Graz, Austria), W. Ecke, W. Haubenreisser, R. Willsch, D. Raabe (Jena, Germany)

Optical fiber with novel geometry for evanescent-wave sensing 416
V. Matějec, M. Chomát, M. Pospíšilová, M. Hayer, I. Kašík (Prague, Czech Republic)

Frequency-dependent admittance analysis on amorphous silicon photodetectors for integrated optical waveguides 423
K. Steiner, G. Kühner, D. Eberhard, E. Wagner (Freiburg, Germany)

Optical fiber reflection refractometer 428
A. Suhadolnik, A. Babnik, J. Možina (Ljubljana, Slovenia)

Author Index of Volume 29 433

Subject Index of Volume 29 435

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.